

Material Safety Data Sheet

Identity

Burn-In Sticks – All Colours

Section I - Chemical Product and Company Identification

<i>Distributor's Name</i> Dover Finishing Products	<i>Date Revised</i> 2009-10-26
<i>Address</i> 3245 J.B. Deschamps Montreal, Quebec, Canada H8T 3E4	<i>Telephone Number for information</i> 514-420-6030 <i>Emergency Number</i>

Section II - Hazardous Ingredients/Identity Information

- Various colorants in shellac/epoxy (transparent only) blends.
- **No known hazardous/controlled ingredients**

Section III - Physical/Chemical Characteristics

<i>Boiling Point</i>	604°F	<i>Weight lb/gallon</i>	9.1
<i>Vapor Pressure (mm Hg)</i>	N/A	<i>Melting Point</i>	N/A
<i>Vapor Density</i>	N/A	<i>Evaporation Rate (Butyl Acetate = 1)</i>	N/A
<i>Solubility in water</i> N/A		<i>% Volatile by Volume</i>	0%
<i>Appearance and odor</i> Colored hard resin with no appreciable odor			

Section IV - Fire and Explosion Hazard Data

<i>Flash Point</i>	<i>Flammable Limits</i>	<i>LEL</i>	<i>UEL</i>
N/A	N/A	N/A	N/A
<i>Extinguishing Media</i> None should be required			
<i>Special Fire Fighting Procedures</i> Firefighters should wear self-contained breathing apparatus			
<i>Unusual Fire & Explosion Hazards</i> None known			

Section V - Reactivity Data

<i>Stability</i>	<i>Unstable</i>		<i>Conditions to avoid</i>
	<i>Stable</i>	X	None known
<i>Incompatibility (Materials to avoid)</i> None known			
<i>Hazardous Decomposition or byproducts</i> Overheating (heat by welding, melting or cutting) produces smoke, CO and CO ₂			
<i>Hazardous M</i>	<i>ay occur</i>		<i>Conditions to avoid</i>
<i>Polymerization</i>	<i>Will not occur</i>	X	None known

Section VI - Health Hazard Data

<i>Routes of entry</i> Inhalation, eyes (if molten)	<i>Inhalation</i> N/A	<i>Skin</i> If molten, will cause skin/eye/tissue burns	<i>Eyes</i>
---	--------------------------	--	-------------

Health Hazards (acute or chronic)
None known

Chemicals Listed as Carcinogen or Potential Carcinogen
None known

Signs and Symptoms of Exposure

Notes to physician: Any treatment that might be required for overexposure should be directed at the control of symptoms and the Clinical conditions

Medical Conditions Generally Aggravated by Exposure

Emergency First Aid Procedures
Inhalation

Remove to fresh air

If molten, remove subject to fresh air

Eyes if molten:

Flush with water until relieved

Skin
None should be needed

Section VII - Precautions for Safe Handling and Use

Steps to be taken if Material is released or Spilled
Confine in small area; use absorbent to clean up. Place in container for disposal.

Waste Disposal Methods
Dispose of in accordance with local, provincial/State and Federal regulations
If discarded as is, it is not classified as hazardous waste under RCRA

Precautions to be taken in Handling and Storing
Store in a cool dry area away from heat and direct light (i.e sun and other UV)

Other precautions
Avoid overheating

Section VIII - Personal Protection

Respiratory Protection (specify type)
not required

Ventilation	Local Exhaust Natural ventilation should be adequate	Special
	Mechanical (general) Keep vapors low if molten	Other

Protective Gloves Leather when molten, but usually not required	Eye Protection Glasses or goggles if molten
---	---

Other Protective Clothing or Equipment

Work/Hygiene Practice
Wash hands thoroughly with soap and water before eating or smoking

Section IX - Regulatory Information

Other data
This is non-regulated item for transport

