
Section I. Product Identification and Uses

		HMIS (HFRP)	
		Health Hazard	1
		Fire Hazard	0
		Reactivity	0
		Personal Protection	b
Common / Trade name	TRADE SECRET COUNTRY POLISH	TDG	Not controlled under TDG (Canada).
WHMIS	Not, controlled, under, WHMIS, (Canada).	PIN	None
Code	1357	PG	None
Material uses	Industrial applications: Furniture polish.		

Section II. Hazardous Ingredients

Name	CAS #	% by weight	TLV/PEL	LC50/LD50
Oleic acid	112-80-1	0.5-1.5	Not available.	Not available.

Section III. First Aid Measures

Eye contact	Flush eyes with running water, keeping eyelids open. If irritation persists, get medical attention.
Skin contact	Rinse with plenty of running water.
Inhalation	Allow to rest in a well ventilated area.
Ingestion	DO NOT induce vomiting. Have conscious person drink several glasses of water. Seek immediate medical attention.

Section IV. Physical Data

Physical state and appearance	Liquid. (Opaque.)	Colour	White.
pH (1% soln/water)	Neutral.	Odour	Apple-like.
pH (concentrate)	4.5-5.5	Volatility	Not available.
Boiling point	Weighted average: 221.24°C (430.2°F)	Vapour density	Not available.
Specific gravity	0.91 - 0.93 (Water = 1)	Vapour pressure	The highest known value is 2.3 kPa (at 20°C) (Water).
Solubility	Easily soluble in n-octanol. Insoluble in cold water, hot water.		

Section V. Fire and Explosion Data

The product is	May be combustible at high temperature.
Auto-ignition temperature	Not available.
Flash points	Close cup: > 93.3°C (199.9°F).
Degradation products	carbon oxides (CO, CO ⁿ L ²)
Extinguishing media	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Section VI. Reactivity data

Stability	The product is stable.
Decomp. products	See fire degradation products.
Reactivity	Reactive with oxidizing agents. Non-reactive with organic materials, metals.

Section VII. Toxicological properties

Route of entry	Ingestion. Eye contact.
Toxicity for animals	> 10000 mg/kg (rat-oral)
Acute effects	If ingested might cause discomfort, diarrhea, nausea. Mildly irritating to the eyes.
Chronic effects	Prolonged exposure may cause chronic eye irritation. CARCINOGENIC EFFECTS: None. TETRATOGENIC EFFECTS: None. MUTAGENIC EFFECTS: None. REPRODUCTIVE EFFECTS: None. The substance is not toxic for the reproductive system.

Section VIII. Preventive measure

Waste disposal	Dispose of material according to regional, provincial and federal regulations. Consult your local or regional authorities.
Storage	Store in a dry, cool and well ventilated area.

Precautions Keep from freezing. Keep out of reach of children. Avoid contact with eyes. Do not ingest.

Spill and leak Dilute with water and mop up, or absorb with an inert DRY material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of in accordance with federal, provincial and local regulations.

Section IX. Personal protective equipment

Gloves Gloves (impervious).

Respiratory Not applicable.

Eyes Safety glasses.

Other Splash goggles, full suit, boots, gloves: are recommended under exceptional circumstances such as fire, spill or for prolonged contact with bulk quantities.

Eng. controls Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Section X. Preparation and other Information

Validated by the Regulatory Affairs Department: 2009-10-26

CANUTEC : (613) 996-6666

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Annex A. Legend

HMIS Hazardous Materials Identification System

WHMIS WHMIS Workplace Hazardous Materials Information System

TDG Transport Dangerous Goods

PIN Product Identification Number

PG Packaging Group

Material Safety Data Sheet

Identity

Production/Trade Secret Fill Stick – All Colours

Section I - Chemical Product and Company

Identification

<i>Distributor's Name</i> Dover Finishing Products	<i>Date Prepared</i> 2008-05-13
<i>Address</i> 3245 JB Deschamps Lachine, QC, H8T 3E4	<i>Telephone Number for information</i> 514-420-6030 <i>Emergency Number</i> 514-420-6030

Section II - Hazardous Ingredients/Identity Information

- Various pigments in wax blends.
- No known hazardous/controlled ingredients

Section III - Physical/Chemical Characteristics

<i>Boiling Point</i>	N/A	<i>Specific Gravity (H2O)</i>	0.92
<i>Vapor Pressure (mm Hg)</i>	N/A	<i>Melting Point</i>	58°
<i>Vapor Density</i>	N/A	<i>Evaporation Rate (Butyl Acetate = 1)</i>	N/A
<i>Solubility in water</i> Not Soluble		<i>% Volatile by Volume</i>	0%
<i>Appearance and odor</i> Colored wax, light sweet odor			

Section IV - Fire and Explosion Hazard Data

<i>Flash Point</i> N/A	<i>Flammable Limits</i> N/A	<i>LEL</i> N/A	<i>UEL</i> N/A
<i>Extinguishing Media</i> CO ₂ , dry foam			
<i>Special Fire Fighting Procedures</i> Use water only on small fires			
<i>Unusual Fire & Explosion Hazards</i> None			

Section V - Reactivity Data

<i>Stability</i>	<i>Unstable</i>		<i>Conditions to avoid</i> N/A
	<i>Stable</i>	X	
<i>Incompatibility (Materials to avoid)</i> None			
<i>Hazardous Decomposition or byproducts</i> Overheating produces CO ₂ and H ₂ O			
<i>Hazardous</i> Polymerization	<i>May occur</i>		<i>Conditions to avoid</i> N/A
	<i>Will not occur</i>	X	

Section VI - Health Hazard Data

<i>Routes of entry</i>	<i>Inhalation</i>	<i>Skin</i>
Inhalation, eyes (if molten)	N/A	If molten, will cause skin burns

Health Hazards (acute or chronic)
Extensive, prolonged skin exposure could cause dermatitis

Chemicals Listed as Carcinogen or Potential Carcinogen
None known

Signs and Symptoms of Exposure

Medical Conditions Generally Aggravated by Exposure

Emergency First Aid Procedures
Inhalation

If molten, remove subject to fresh air

Eyes
If molten: Flush with water, treat as burn, get medical attention. **DO NOT REMOVE WAX.**

Skin
Same as above

Section VII - Precautions for Safe Handling and Use

Steps to be taken if Material is released or Spilled
If molten, allow to cool, scrape up

Waste Disposal Methods
Dispose of in accordance with local, State and Federal regulations

Precautions to be taken in Handling and Storing
Store in a cool dry area away from heat

Other precautions
Avoid overheating and sun direct

Section VIII - Personal Protection

Respiratory Protection (specify type)
Not required

Ventilation	Local Exhaust Is adequate	Special
	Mechanical (general) Keep vapors low if molten	Other

Protective Gloves
Leather when molten

Eye Protection
Glasses or goggles if molten

Other Protective Clothing or Equipment

Work/Hygiene Practice
Wash hands thoroughly with soap and water before eating or smoking

Section IX - Regulatory Information

Sara Section 313 Reportable Chemicals

HMIS Ratings
N/A



MATERIAL SAFETY DATA SHEET

PAGE 1 OF 3

Issue Date: 2008-05-13

PRODUCT IDENTIFICATION

Trade Name:
Chemical Identity:

- **Trade Secret Scratch Remover - Dark**
- Petroleum Distillate

PHYSICAL DATA

Boiling Point:
Dens./ Specific Gravity:
Solubility in Water
Appearance & Odor:
Vapor Density (Air=1):
Evaporation Rate:

- 98°C (208.4°F)
- (H₂O = 1) 0.83
- Insoluble(soluble in n-octanol & diethyl ether, partially in methanol)
- Dark brown oily liquid with faint odor
- N/D
- N/D

HAZARDOUS INGREDIENTS

% w/w CAS No. Exposure Limit Toxicity
Please refer to page 3 for a complete list of ingredients

FIRE & EXPLOSION HAZARDS

Flash Point:
Method:

- Between 61°C (142°F) and 93.3°C (200°F)
- CLOSED CUP

Auto-Ignition Temperature:
Flammable Limits in Air (% by Volume):
Extinguishing Media:

- Lowest known value is 200°C (392°F) (Naphtha, Petroleum)
- Lower: 1% Higher: 8%(Naphtha, Petroleum)
- Small Fire: Dry Chemical
- Large Fire: Water spray, fog or foam. Do not use water jet.

Burning Rate:
% VOC:
Fire Fighting Procedures:

- N/D
- 80-90
- Wear self-contained breathing apparatus in confined areas or when exposed to combustion products. Use water spray to cool fire exposed containers. Cover with sand or earth.

Unusual Fire & Explosion Hazards:

- Flammable in presence of open flames and sparks, of combustible materials
- Slightly flammable to flammable in presence of heat, oxidizing materials and reducing materials

Whom To Contact in Case of Emergency:

(450) 974-1001

PROTECTION INFORMATION

Ventilation:

- Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Respiratory Protection:

- Approved MSHA/NIOSH respirator if insufficient ventilation.

Gloves:

- Impervious type

Other Protective Measures:

- Minimize breathing vapors. Avoid prolonged or repeated skin contact. Cleanse skin thoroughly after contact, before meals. Lab coat and splash goggles

MATERIAL SAFETY DATA SHEET

PAGE 2 OF 3

Issue Date: 2008-05-13

HEALTH DATA

- | | |
|---|--|
| Route of Entry: | • Skin, eye, ingestion, inhalation. |
| Toxicity to Animals: | • N/A |
| Chronic Effects on Humans: | • Toxic to blood, kidneys, liver. Repeated or prolonged exposure can produce target organ damage |
| Other Toxic Effects: | • Hazardous in case of skin contact (permeate), or eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (irritant, sensitizer). |
| Ingestion: | • Harmful or fatal if swallowed. |
| Special Remarks on Toxicity To Animals: | • N/A |
| Special Remarks on Chronic Effects on Humans: | • Exposure can cause coughing, chest pains, difficulty in breathing (Naphtha, Petroleum) |
| Special Remarks on Other Toxic Effects on Humans: | • May cause allergic reactions, eczema and/or dehydration of the skin (Naphtha, Petroleum) |

FIRST AID

- | | |
|-------------------------|---|
| Eyes: | • Check for/remove any contact lenses. Flush with flowing water for 15 minutes keeping eyelids open. Consult a physician. |
| Skin: | • Wash thoroughly with soap and water. Cover irritated skin with emollient. Get medical attention if irritation develops. |
| Hazardous Skin Contact: | • Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention. |
| Ingestion: | • Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to unconscious person. If large quantities swallowed, consult a doctor immediately. Loosen tight clothing. |
| Inhalation: | • Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician immediately. |

REACTIVITY DATA

- | | |
|----------------------|--|
| Stability: | • Stable |
| Conditions to avoid: | • Heat, sparks, open flames. Excessive heat. |
| Incompatibility: | • Strong oxidizing agents |
| | • Slightly reactive with reducing agents, organic materials, acids, alkalis. |
| | • Non-reactive with moisture. |

SPILL & DISPOSAL PROCEDURES

- | | |
|-----------------|---|
| Small Spill: | • Absorb with an inert material and put spilled material in an appropriate waste disposal. |
| Large Spill: | • Combustible material. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Finish cleaning by spreading water on the contaminated area and dispose to local and regional authority requirements. |
| Waste Disposal: | • Observe local regulations. |

MATERIAL SAFETY DATA SHEET

PAGE 3 OF 3
Issue Date: 2008-05-13

STORAGE & HANDLING

Precautions: Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not breathe vapor. Wear suitable clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If you feel unwell, seek medical attention and show label when possible. Avoid contact with skin and eyes. Keep away from incompatible oxidizing agents.

Storage: Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).

ECOLOGICAL DATA

Toxicity of products of Biodegradation: • The product itself and its products of degradation are not toxic.
Exotoxicity: • N/A
BOD5 and COD: • N/A
Products of Biodegradation: • N/A
Special Remarks: • N/A

TRANSPORTATION & CLASSIFICATION

Shipping Name: • Not controlled under TDG (Canada).
Numero UN/NA: • N/A
Classification: • N/A
Packing Group: • N/A

WHMIS HAZARDS CLASSIFICATION

Class B: • Flammable & Combustible material
Division 3 – Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F)



Class D: • Poisonous & infectious material.
Division 2B - Causing other toxic effects (TOXIC)

HAZARDOUS INGREDIENTS

<u>Name</u>	<u>%</u>	<u>CAS Number</u>	<u>LD-50</u>
Naphtha, Petroleum	5 - 10	64741-47-8	ORAL (LD50) Acute: 8000mg/kg [Rat] DERMAL (LD50) Acute: 4000mg/kg [Rat]

*N/A = Not Available

Material Safety Data Sheet

WHMIS (Pictograms)	WHMIS (Classification)	Protective Clothing
	Not controlled under WHMIS (Canada).	

Section I. Chemical Product and Company Identification

Product Name/ Trade Name	Trade Secret Light Scratch Remover	Code	Not available.
Supplier	DFP Inc 3245 JB Deschamps Lachine, QC Canada H8T 3E4 (514) 420-6030	CAS#	Mixture.
Synonym	Not available.	DSL	See internal file.
Chemical Name	Not applicable.	In case of Emergency	Emergency phone: CANUTEC (613)996-6666
Chemical Family	Mixture of severely hydrotreated paraffinic oils (C12-C50) (Solvent. Petrochemical.)		
Chemical Formula	Not applicable.		
Manufacturer	Proprietary	Material Uses	Industrial applications

Section II. Composition and Information on Ingredients

Name	CAS #	Exposure Limits			% by Weight
		TWA (ppm)	STEL (ppm)	CEIL (ppm)	
No hazardous ingredient.					
Toxicological Data on Ingredients Not applicable.					

Section III. Hazards Identification.

Potential Acute Health Effects	Slightly hazardous in case of ingestion. Non-irritant for skin. Non-irritating to the eyes. Non-hazardous in case of inhalation.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.

Continued on Next Page

Section IV. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin Contact	Wash with soap and water. Get medical attention if irritation develops.
Hazardous Skin Contact	Not available.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Hazardous Inhalation	Not available.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Hazardous Ingestion	Not available.

Section V. Fire and Explosion Data

The Product is:	May be combustible at high temperature.
Auto-Ignition Temperature	Not available.
Flash Points	Closed cup: 168°C (334.4°F).
Flammable Limits	Not available.
Products of Combustion	Not available.
Fire Hazards in Presence of Various Substances	Not available.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.
Special Remarks on Fire Hazards	Not available.
Special Remarks on Explosion Hazards	Not available.

Section VI. Accidental Release Measures

Small Spill	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Large Spill	Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section VII. Handling and Storage

Precautions Keep away from heat. Do not ingest. Do not breathe vapor. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents.

Storage Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section VIII. Exposure Controls/Personal Protection

Engineering Controls Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection Safety glasses. Lab coat. Impervious gloves. In case of insufficient ventilation, wear suitable respiratory equipment. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Personal Protection in Case of a Large Spill Splash goggles. Full suit. Boots. Gloves. Vapor respirator.

Exposure Limits TWA (8 hours): 5mg/m3 (oil mist)

Section IX. Physical and Chemical Properties

Physical State and Appearance	Liquid. (Viscous liquid.)	Odor	Odorless.
Molecular Weight	Not applicable.	Taste	Not available.
pH (1% soln/water)	Not applicable.	Color	Yellow.
Boiling Point	Not available.		
Melting Point	Not available.		
Critical Temperature	Not available.		
Specific Gravity	0.8599 (Water = 1)		
Vapor Pressure	Not available.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	Not available.		
Ionicity (in Water)	Not available.		
Dispersion Properties	Not available.		
Solubility	Insoluble in cold water, hot water.		

Section X. Stability and Reactivity Data

Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Not available.
Incompatibility with various substances	Reactive with oxidizing agents.
Corrosivity	Not available.
Special Remarks on Reactivity	Not available.
Special Remarks on Corrosivity	Not available.

Section XI. Toxicological Information

Routes of Entry	Ingestion
Toxicity to Animals	Acute oral toxicity (LD50): >5000 mg/kg [Rat]. Acute dermal toxicity (LD50): >2000 mg/kg [Rabbit]. Acute toxicity of the vapor (LC50): >5200 mg/m ³ 4 hour(s) [Rat].
Chronic Effects on Humans	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.
Other Toxic Effects on Humans	Slightly hazardous in case of ingestion. Non-irritant for skin. Non-irritating to the eyes. Non-hazardous in case of inhalation.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on Other Toxic Effects on Humans	Not available.

Section XII. Ecological Information

Ecotoxicity	Ecotoxicity in water: 400000 ppm [LC50], 96 hours [Trout].
BOD5 and COD	Not available.
Products of Biodegradation	Not available.
Toxicity of the Products of Biodegradation	The products of degradation are non-toxic.
Special Remarks on the Products of Biodegradation	Not available.

Section XIII. Disposal Considerations

Waste Disposal Recycle, if possible. Consult your local or regional authorities.


Section XIV. Transport Information

TDG Classification Not regulated.

PIN Not applicable.

Special Provisions for Transport Not available.

TDG (Pictograms)



Section XV. Other Regulatory Information and Pictograms

Other Regulations Not available. or of its ingredients

Other Classifications


HCS (U.S.A.) Not controlled under the HCS (United States).

DSCL (EEC) Not available.

Hazardous Material Information System (U.S.A.)

Health Hazard	(1)
Fire Hazard	(1)
Reactivity	(0)
Personal Protection	b

National Fire Protection Association (U.S.A.) Health



Fire Hazard

Reactivity


Specific Hazard

DOT (U.S.A) (Pictograms)

DSCL (Europe) (Pictograms)

ADR (Europe) (Pictograms)

Protective Equipment (Pictograms)



Section XVI. Other Information

References -Manufacturer's Material Safety Data Sheet.

Other Special Considerations Not available.

Validated by Company on 08/02/2005.

Verified by Regulatory Affaires.

Printed 2008-05-13

Information Contact Regulatory Affairs.

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.