

**Safety Data Sheet**  
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,  
1926*

## **1 Identification**

· **Product identifier**

· Trade name: ***Unscented Melamine Polish***

· **Article number:** 2159390100

· **Recommended use** Furniture Polish

· **Restrictions on use**

All other uses than those indicated on the product label and technical data sheet.

· **Details of the supplier of the safety data sheet**

· **Manufacturer:**

DFP

180 Ave du Voyageur

Pointe-Claire, QC

H9R 6A8

(514) 420-6030

· **Client Identification Number** 186333

· **Emergency telephone number:** CANUTEC 1-613-996-6666

## **2 Hazard(s) identification**

· **Classification of the product:**



Eye Irrit. 2A H319 CAUSES SERIOUS EYE IRRITATION.

· **Label elements**

· **Hazard pictograms:**



GHS07

· **Signal word:** Warning

· **Hazard statements:**

H319 CAUSES SERIOUS EYE IRRITATION.

· **Precautionary statements**

P280 Wear eye or face protection equipment.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 IF EYE IRRITATION PERSISTS: Get medical attention.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

· **Hazard not otherwise classified** None

· **Notes:** For the wording of the listed abbreviations refer to section 16.

CA

(Contd. on page 2)

**Safety Data Sheet**  
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,  
1926*

Trade name: ***Unscented Melamine Polish***

(Contd. of page 1)

### **3 Composition/information on ingredients**

· **Dangerous components:**

C A S  
(% w/w)

C o m p o n e n t

68439-46-3	Alcohols C9-C11 Ethoxylated
------------	-----------------------------

1-≤2.5%
---------

### **4 First-aid measures**

· **General information:**

· **After inhalation:**

Rarely cause discomfort; supply fresh air and consult doctor in case of complaints.

· **After skin contact:** May induce a skin irritation.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After ingestion:** If symptoms persist consult a doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

### **5 Fire-fighting measures**

· **Suitable extinguishing media**

· **Suitable extinguishing media**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Specific hazards arising from the product**

In case of accidental fire and extreme heat conditions, the following gaseous products can be released after water evaporation: hydrocarbons, carbon monoxides and dioxides (CO<sub>x</sub>) and nitrogen dioxide (NO<sub>x</sub>).

· **Advice for firefighters**

· **Special protective equipment and precautions for fire-fighters** No special measures required.

· **Additional information** This product is not flammable.

### **6 Accidental release measures**

· **Personal precautions, protective equipment and emergency procedures**

Wear recommended protective equipment(s). Keep unprotected persons away.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Surround and absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

### **7 Handling and storage**

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation at the workplace.

Prevent formation of aerosols.

(Contd. on page 3)

**Safety Data Sheet**  
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,  
1926*

Trade name: ***Unscented Melamine Polish***

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
  - **Requirements to be met by storerooms and receptacles:** No special requirements.
  - **Information about storage in one common storage facility:** Not required.
  - **Conditions for safe storage, including any incompatibilities**  
Keep in the original receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### **8 Exposure controls/personal protection**

- **Appropriate engineering controls** Ensure appropriate aeration and ventilation.
- **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
    - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
  - **Personal protective equipment:**



Tightly sealed goggles

- **General protective and hygienic measures:**  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Keep away from foodstuffs, beverages and feed.  
Avoid contact with the eyes.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Eye protection:** Tightly sealed goggles
- **Body protection:** No special measures required.

### **9 Physical and chemical properties**

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- **Form:** Opaque Liquid
- **Colour:** White
- **Odour:** Odourless.
- **Odour threshold:** Not determined.

· **pH-value at 25 °C:** 4.5-6.5

- **Change in condition**

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** 100 °C

· **Flash point:** > 94 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 346 °C

(Contd. on page 4)

**Safety Data Sheet**  
acc. to *SOR/2015-17* and *OSHA 29 CFR Parts 1910, 1915, 1926*

Trade name: ***Unscented Melamine Polish***

(Contd. of page 3)

· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Vapour pressure at 20 °C:</b>	23 hPa
· <b>Density at 25 °C:</b>	0.980-0.990 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density (air=1)</b>	<1 (aqueous solution)
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Fully miscible
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	0.0 %

### 10 Stability and reactivity

- **Reactivity** Not determined.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Avoid freezing and extreme heat conditions.
- **Incompatible materials:** This product may react with strong oxidizing agents.
- **Hazardous decomposition products:**  
In case of decomposition: carbon monoxide and carbon dioxide and traces of volatile halogenated compounds.

### 11 Toxicological information

- **Information on the likely routes of exposure** Skin and eyes contact
- **Acute toxicity:**
  - **Numerical mesures of toxicity**

· Components	Type	Value (Species)
· Mean of exposure		
<b>ATE (Acute Toxicity Estimates)</b>		
Oral	LD50	115121 mg/kg (rat)
Dermal	LD50	23049 mg/kg (rabbit)

- **Symptomes related to the physical, chemical and toxiological characteristics**
  - **by inhalation:**  
Vapours may cause irritation to the airways. Inhalation of larger amounts may induce discomfort, nausea, dizziness, headache, narcosis, and unconsciousness.

(Contd. on page 5)

**Safety Data Sheet**  
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,  
 1926*

Trade name: ***Unscented Melamine Polish***

(Contd. of page 4)

- **If on the skin:** May cause irritation by prolonged contact with skin.
- **If on the eye:** Irritating effect.
- **after ingestion:**  
 May cause irritation of the gastrointestinal tract, nausea, vomiting and headache.
- **Sensitization:** No sensitizing effects known.
- **Delayed and immediate effects, and chronic effects from short-term and long-term exposure**  
 Prolonged or frequent contact can cause eczema and inflammation of the skins as a results of degreasing.
- **Additional toxicological information:**  
 The product shows the following dangers according to internally approved calculation methods for preparations:  
 Irritant
- **Carcinogenic categories**

· <b>IARC (International Agency for Research on Cancer)</b>	
102-71-6	Triethanolamine 3
· <b>NTP (National Toxicology Program)</b>	
None of the ingredients is listed.	

**12 Ecological information**

- **Behavior in environmental systems:**
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** No further relevant information available.
- **Ecotoxicity** No relevant information available
- **Remark:** Harmful to fish
- **General notes:**  
 Do not allow product to reach ground water, water course or sewage system.  
 Danger to drinking water if even small quantities leak into the ground.  
 Harmful to aquatic organisms

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system unless significantly diluted or neutralized.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.
  - **Recommended cleansing agent:** Water.

**14 Transport information**

· <b>DOT, ADN, IMDG, IATA</b>	Not regulated.
· <b>UN proper shipping name</b> · <b>DOT</b>	Not regulated.
· <b>Transport hazard class(es)</b> · <b>Class</b>	Not regulated.

(Contd. on page 6)

**Safety Data Sheet**  
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,  
 1926*

Trade name: ***Unscented Melamine Polish***

(Contd. of page 5)

· **Packing group**  
 · DOT Not regulated.

· **Environmental hazards:**  
 · **Marine pollutant:** No  
 Yes (P)

· **Transport in bulk according to Annex II of  
 MARPOL73/78 and the IBC Code** Not applicable.

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of creation/last revision:** 06/19/2015

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

P: Marine Pollutant

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A